



ESP-50EN/WS

Order No.: 0160260

PRODUCTINFOS

PA wall speaker,

with EN 54-24 certification.

- 100 V transmission technology
- Full range speaker (13 cm)
- Suitable for voice and music transmissions
- Connection via spring-loaded terminal inside the cabinet
- Wooden cabinet with protective metal grille
- Easy wall mounting via supplied mounting bracket and mounting accessories
- Ball-proof according to DIN 18032, Part 3

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

TECHNICAL SPECIFICATIONS

ESP-50EN/WS

Active/passive	passive
Transmission technology	100 V
Total power rating	6 W
Power rating (RMS)	6/3/1.5 W
Frequency range	100-19,000 Hz
Number of speakers	1
Speaker size	13 cm (5")
SPL	93 dB (1 W/1 m)
	77 dB (EN, 1 W/4 m)
Max. rated SPL	101 dB (1 m)
	86 dB (EN, 4 m)
Radiation angle/beam angle	H180°/V180° (500 Hz)
	H80°/V88° (1 kHz)
	H131°/V126° (2 kHz)
	H77°/V69° (4 kHz)
	180° (500 Hz)
Radiation angle, horizontal	80° (1 kHz)
	131° (2 kHz)
	77° (4 kHz)
Radiation angle, vertical	180° (500 Hz)
	88° (1 kHz)
	126° (2 kHz)
	69° (4 kHz)
Housing material	wood
Colour	white, RAL9010
Mounting device	mounting bracket
Protected against ball rebound	yes
Admiss. ambient temp.	-10 °C to +50 °C
Dimensions	265 x 165 x 90 mm
Width	265 mm
Height	165 mm
Depth	90 mm
Weight	1.6 kg
Inputs	screw terminals
Packaging dimensions (W x H x L)	0.27 x 0.1 x 0.17 m
Gross weight	1.84 kg
Net weight	1.62 kg

ESP-50EN/WS

EAN code 4007754234008

Net weight 1.62 kg