



SA-40BT

Order No.: 1001403

PRODUCTINFOS

Mini stereo amplifier, 2 x 20 W,

with Bluetooth interface.

- Silent operation due to fanless cooling concept
- Class D amplifier
- Connection modes: line and Bluetooth
- 1 stereo line input via RCA jacks L/R
- 1 stereo line output via RCA jacks L/R
- Robust metal housing
- Screw holes for mounting are available
- Speaker connection via screw terminal

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Warning and Safety Instructions

The device is supplied with dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Risk of electric shock!

Do not use this device and disconnect it immediately from the power supply if the device or the power supply cable is visibly damaged, if a defect might have occurred after the device was dropped or suffered a similar accident, if malfunctions occur. Any repairs must be carried out by specialists.

The product is suitable for indoor use only. Protect it against dripping water, splash water and high air humidity (admissible ambient temperature range is 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

The heat generated in the device must be dissipated by air circulation. Never cover the air vents of the housing.

If the device is to be put out of operation definitely, dispose of the product in accordance with local regulations.

TECHNICAL SPECIFICATIONS

SA-40BT

Peak output power	2 x 20 W
Power rating	40 W
Power rating at 8 Ω	2 x 20 W
Channels	2
Inputs	995 mV/50 kΩ (line in)
Frequency range	20-20,000 Hz
S/N ratio	> 82 dB
Crosstalk attenuation	63 dB
THD	< 0.3%
Power supply	~230 V/50 Hz/60 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	60 VA
Admiss. ambient temp.	0-40 °C
Width	125 mm
Height	42 mm
Depth	155 mm
Weight	366 g
Connections	1 x RCA L/R (line in), 1 x RCA L/R (line out), 4 x spring-load. speaker term. (speakers)
Packaging dimensions (W x H x L)	0.155 x 0.07 x 0.265 m

SA-40BT

Gross weight 0.652 kg

Net weight 0.380 kg

SA-40BT

EAN code 4007754429374

Net weight 0.380 kg