



## ETS-340TW/WS



Order No.: 0162250

### PRODUCTINFOS

#### The new generation of column speakers from MONACOR:

All the advantages of a column speaker (shape, directional characteristic and mounting) are now combined with an excellent sound quality and a particularly high level stability. With the 2½-way ETS speakers (ETS-360TW/WS) or 3-way ETS speakers (ETS-340TW/WS) in a wooden cabinet with white decorative surface with wood pattern, most varying requirements can be met by these speaker systems, like a very good speech intelligibility and at the same time an optimised music reproduction of the full range.

#### High-end column speaker,

(indoors), 100 V.

Column speaker in a wooden cabinet of compact size, coated with high-quality foils in decorative wood pattern, 3-way technology with tweeter (25 mm textile dome), clearly extended frequency range compared with standard full range column speakers. The sound is ideally matched to the reproduction of both music and vocals.

- 4 bass speakers, 2 bass-midrange speakers, 1 tweeter
- Spring-loaded terminal with 3 power taps
- 2 x M8 threaded bushing
- Supplied with mounting brackets

- Metal front grille

## **PROSOUND 01/2008**

“Unobtrusive design, good workmanship and technology ... really favourable price.”

### **Manufacturer information:**

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen  
Germany  
info@monacor.com

## **TECHNICAL SPECIFICATIONS**

### **ETS-340TW/WS**

|                             |                   |
|-----------------------------|-------------------|
| Active/passive              | passive           |
| Transmission technology     | 100 V             |
| Total power rating          | 40 W              |
| Power rating (RMS)          | 40/20/10 W        |
| Frequency range             | 100-19,000 Hz     |
| Bass speaker                | 4                 |
| Midrange speaker            | 2                 |
| Tweeter                     | 1                 |
| Number of speakers          | 6+1               |
| Speaker size                | 5 cm (2")         |
| SPL                         | 92 dB/W/m         |
| Radiation angle/beam angle  | H: 170°/V: 50°    |
| Radiation angle, horizontal | 170°              |
| Radiation angle, vertical   | 50°               |
| Housing material            | wood              |
| Colour                      | white             |
| Mounting device             | mounting brackets |
| Admiss. ambient temp.       | 0-40 °C           |
| Dimensions                  | 95 x 500 x 120 mm |
| Width                       | 95 mm             |
| Height                      | 500 mm            |
| Depth                       | 120 mm            |

**ETS-340TW/WS**

|                                  |                            |
|----------------------------------|----------------------------|
| Weight                           | 3.5 kg                     |
| Inputs                           | spring-load. speaker term. |
| Packaging dimensions (W x H x L) | 0.17 x 0.2 x 0.61 m        |
| Gross weight                     | 4.16 kg                    |
| Net weight                       | 3.76 kg                    |

**ETS-340TW/WS**

|            |               |
|------------|---------------|
| EAN code   | 4007754198089 |
| Net weight | 3.76 kg       |