



## HSE-70A/SK

Order No.: 0235190

### PRODUCTINFOS

**A series of headband microphones and earband microphones for universal applications, beige version for adapter systems.**

With the supplied adapters, suitable for pocket transmitters from MONACOR and JTS. Further connection adapters for devices from other manufacturers are available at option.

#### **Hyperlight miniature earband microphone,**

with a high-quality cartridge, omnidirectional characteristic.

Practically invisible - outstanding sound technology! The HSE-70A/SK features a state-of-the-art appearance, technology and sound! This earband microphone is ideally suited for any application requiring perfect audibility and an accentuated sound. The high-quality back electret cartridge of omnidirectional characteristic with an optimised sound has been manufactured in Europe and provides a voice reproduction of the brilliant high range which is almost unparalleled. It always provides a high-quality sound even if the microphone is not perfectly aligned to the mouth. The innovative and almost invisible one-ear attachment with earband and earlobe support provides a perfect fit and makes it very comfortable to wear. This microphone is the solution where headband-based systems are rather inconvenient to use. Separate headphones can also be used simultaneously without any problems and without them being uncomfortable to wear.

**Special technical feature:**

The removable connection cable can be replaced by HSE-70C. With optional adapters, the microphone can also be operated with transmission systems from other manufacturers.

- Wide transmission range
- Very comfortable to wear
- Stable positioning
- Drip ring (protects cartridge from moisture)
- Removable sweat-proof connection cable with 2.5 mm stereo plug
- With the supplied adapters, compatible with all TXS-...HSE pocket transmitters (3-pole mini XLR) and pocket transmitters from JTS (4-pole mini XLR)
- Optional adapters allow the application with devices from other manufacturers
- External power supply e.g. via phantom power supply adapter EMA-1 or EMA-300P
- Windshield

**tools4music 03/2012**

“The HSE-70A/SK from IMG Stage Line impresses by a very good price-performance ratio, clear budget tip from the editors. Provides the most balanced and most practice-orientated sound. Conclusion: anyone who wants to invest in new headsets with a good price-performance ratio for every-day use should try out the HSE-150/SK and the earband microphone HSE-70A/SK in a personal test environment.”

- + Removable and replaceable connection cable
- + Comfortable to wear
- + Sound
- + Unobtrusive microphone
- + Very attractive price
- + Supplied with robust case
- + Supplied with two microphone windshields as replacement

**Manufacturer information:**

MONACOR INTERNATIONAL GmbH & Co. KG  
Konsul-Smidt-Str. 68  
28217 Bremen  
Germany  
info@monacor.com

**TECHNICAL SPECIFICATIONS****HSE-70A/SK**

|                     |                     |
|---------------------|---------------------|
| Description         | headband microphone |
| Transmission method | cable               |

**HSE-70A/SK**

|                                  |                                             |
|----------------------------------|---------------------------------------------|
| Polar pattern                    | omnidir.                                    |
| System                           | back electret                               |
| Audio frequency range            | 20-20,000 Hz                                |
| Nominal impedance                | 2 kΩ                                        |
| Sensitivity                      | 5.6 mV/Pa                                   |
| S/N ratio                        | > 65 dB                                     |
| Max. sound pressure              | 140 dB                                      |
| Power supply                     | DC 0.8-5 V                                  |
| Admiss. ambient temp.            | 0-40 °C                                     |
| Weight                           | 6 g                                         |
| Connection                       | 2.5 mm stereo plug<br>2 connecting adapters |
| Packaging dimensions (W x H x L) | 0.11 x 0.045 x 0.22 m                       |
| Gross weight                     | 0.248 kg                                    |
| Net weight                       | 0.184 kg                                    |

**HSE-70A/SK**

|            |               |
|------------|---------------|
| EAN code   | 4007754196818 |
| Net weight | 0.184 kg      |